


SFC SAE 4B Companion to Thread 90°

The versatility of **FMC** with an integrated right angle fluid path




The SFC converts a standard or extended thread port to SAE 4-Bolt Companion connection with properly radiused 90 degree bend, aiding laminar flow through the fluid direction change. Available in stainless steel.

- Fast and economical conversion to SAE 4-Bolt Companion, UNC (standard) or Metric Bolts.
- Reliable mechanical base for your SAE C.61 Split Flange terminated pipe or hose.
- Swivel permits proper flange alignment.
- Suction to 400 PSI.



SFC	C.61 4B Companion to Thread, 90° Elbow				
	Port Size	Dimensions IN			
Port Codes		A	B	C	D
FM GM AA S B	¾"	2.38	0.75	2.75	2.79
	1"	2.38	1.00	3.00	2.79
	1¼"	2.76	1.25	3.38	3.28
	1½"	3.13	1.50	3.75	3.65
	2"	3.88	2.00	4.25	4.40
	2½"	4.75	2.50	4.75	5.21
	3"	5.50	3.00	5.75	6.17
4"	7.00	4.00	7.00	7.67	



Ordering Codes

SFC - ** FM - ** S - 1 1

O-Ring Elastomer	
Code	Description
1	Buna-N (standard)
2	Ethylene Propylene "EPR"
3	Viton

First Size Code	
Code	Port Size
07	¾"
10	1"
12	1¼"
15	1½"
20	2"
25	2½"
30	3"
40	4"
50	5" - Call
60	6" - Call

Split Flange Side	
Code	Description
FM	C.61 4B UNC (US Std)
GM	C.61 4B Metric Bolts
AA	ANSI 150 #

Choose Adapter Size
Replace ** with the desired adapter size.
Two different size codes selects step size option.

Second Size Code	
Code	Port Size
07	¾"
10	1"
12	1¼"
15	1½"
20	2"
25	2½"
30	3"
40	4"
50	5" - Call
60	6" - Call

Thread Side	
Code	Description
S	SAE ORB (Standard)
B	BSPP

Alternate Fastener Standard

Replace the "FM" C.61 UNC-Bolts Companion code with "GM" C.61 Metric Bolts Companion for metric market applications. Please call to confirm price and availability.

Alternate Thread Standard

Replace the "S" SAE ORB standard thread connection with a choice from the "Thread Side" table. Please call to confirm price and availability.

Adapter Material	
Code	Description
1	Low Carbon Steel
2	Stainless Steel

